POLYKEN[®]

223**Multi-Purpose Duct Tape**

(Low Emitting Materials) under LEED®

	- Backing	Backing:	PE Coated Cloth				
	Adhesive	Adhesive:	Rubber				
		Liner:	N/A	N/A			
		Colors:		r, Black, Red, White, OD, Blue, Green, /n, Tan, Yellow			
		Specificatio	ons:	Tested in accordance with UL 723			
	Burners a	Standard S	izes:	48mm x 55m, 72mm x 55m			
Applications							
Hanging and seaming poly sheeting				Color coding			
Sealing and closure tape for poly bags				Temporary holding and bundling			
Fe	eatures			Benefits			
PE-Coated Cloth Backing			Good balance of tensile strength and tearability Conformable and moisture resistant				
Natural Rubber Based Adhesive			Excellent adhesion to a variety of surfaces				
Low VOC Content			Can contribute toward satisfying EQ Credit 4.1				

Typical Test Values

Standard UOM	Metric UOM	Test Method					
10.0 mils	0.254 mm	ASTM D-1000					
90 oz/in	9.85 N/cm	PSTC-101					
40 oz/in	4.38 N/cm	PSTC-101					
25 lb/in	43.78 N/cm	ASTM D-1000					
24%		ASTM D-1000					
40 to 200 °F	4 to 93 °C						
<1 g/L							
	Standard UOM 10.0 mils 90 oz/in 40 oz/in 25 lb/in 24% 40 to 200 °F	Standard UOM Metric UOM 10.0 mils 0.254 mm 90 oz/in 9.85 N/cm 40 oz/in 4.38 N/cm 25 lb/in 43.78 N/cm 24% 40 to 200 °F 4 to 93 °C					

Recommended Storage Conditions: 60-80 °F at 40-60% RH Standard Shelf Life (at 25 °C): 36 months from date of manufacture.

The information presented herein was prepared at BERRY GLOBAL, INC (25 Forge Parkway Franklin, MA 02038) by qualified technical personnel. To BERRY's knowledge it is true and accurate. However, the information and recommendations are furnished for these products with the understanding that the purchaser or user, as the case may be, will independently determine that the product is suitable for the intended use, and that such use complies with all applicable federal, state and local laws and regulations. The data are submitted only for the user's information and consideration, and do not constitute a warranty of any kind (including but not limited to a warranty of merchantability or of fitness for a particular purpose), or a representation for which BERRY assumes any legal responsibility.